


PREFERRED



Insulation has been trimmed neatly with no sign of pinching, pulling, fraying, tearing, discoloration, charring, or burning.

ACCEPTABLE



A slight, uniform impression in the insulation from the gripping of mechanical strippers. The nominal thickness of the insulation is reduced no more than 20%. Mechanical stripping has left the insulation trimmed unevenly. The ragged piece(s) are not longer than $\frac{1}{2}$ OD or 0.050 in., whichever is smaller.

REJECT



Insulation has been pierced completely through by mechanical strippers. Ragged piece(s) exceed $\frac{1}{2}$ wire OD.

FISCHER-BACKUS CORP.

COLUMBUS, OH

DRAWING
NUMBER

92-0006-0

TITLE

QC STANDARDS, INSULATION DAMAGE

DATE

9-30-86

Sheet

1 of 1

DRAWN

DGB

APPROVED

DGB